TBS Buffer, pH7.4 (10x)



Cat. No: E-IR-R116 Size: 100 mL/ 200 mL/ 500 mL

Product Content

Cat.	Products	100 mL	200 mL	500 mL	Storage
E-IR-R116	TBS Buffer, pH7.4 (10×)	100 mL	200 mL	500 mL	2~8 ℃

Introduction

TBS buffer is used in Western Blot to wash away non-specific binding on the membrane.

This product is supplied with $10 \times$ concentrate and easy for transportation. Dilute to $1 \times$ working buffer and add 0.1% Tween 20 to enhance elution capacity.

Instructions

This product is a $10 \times$ concentrate solution, dilute with deionized water to $1 \times$ working solution before use. For example: take $100 \text{ mL } 10 \times \text{TBS}$ buffer, dilute with deionized water to 1 L.

1 x TBS Buffer Components

145.4 mM NaCl, 10 mM Tirs-base, pH7.4.

Storage

Store at 2~8 ℃ for 12 months.

Cautions

- 1. If the product crystallizes, please use water bath to dissolve at $37 \, ^{\circ}$ C, and then dilute it after it is completely dissolved.
- 2. Keep the product sealed to prevent from pollution.
- 3. For your safety and health, please wear the lab coat and disposable gloves before the experiments.

Tel: 1-832-243-6086 Email: techsupport@elabscience.com