

## Donkey Anti-Goat IgG(H+L)(peroxidase/HRP conjugated)

Catalog No. E-AB-1050

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.

### Product Information

**Immunogen:** Goat IgG

**Purification Method:** Affinity purification

**Conjugation:** HRP

**Concentration:** 0.5 mg/mL

**Applications:** WB,ELISA

**Dilution:** Western Blotting: 1:2000-5000 (Enhanced chemiluminescent detection )

Western Blotting: 1:300-1500(DAB detection)

Direct ELISA: 1:3000-5000(TMB detection)

Optimal working dilutions must be determined by end user. Dilute before when it's needed, and the residual should be discarded.

**Buffer:** PBS with 50% glycerol, PH7.4

**Storage:** Store at -20°C. Avoid freeze / thaw cycles.

### For Research Use Only

Thank you for your recent purchase.

If you would like to learn more about antibodies, please visit [www.elabscience.com](http://www.elabscience.com).

Focus on your research  
Service for life science

Applications: Activ- Activation; Block- Blocking; Separation- Cell Separation ; Cell Sep-Neg- Cell Separation by Negative Selection; FA- Functional Assay; Neut- Neutralization; Stim- Stimulation; FCM- Flow Cytometry; ICFM: Intracellular Staining for Flow Cytometry; WB- Western Blotting; IHC- Immunohistochemistry; IF- Immunofluorescence; IP- Immunoprecipitation