


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

# **HIST1H1D Polyclonal Antibody**

Catalog No.E-AB-18080ReactivityH,MStorageStore at -20°C. Avoid freeze / thaw cycles.HostRabbitApplicationsIHC,ELISAIsotypeIgG

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.

## **Images**



Immunohistochemistry of paraffinembedded Human ovarian cancer tissue using HIST1H1D Polyclonal Antibody at dilution of 1:55(×200)



Immunohistochemistry of paraffinembedded Human colorectal cancer tissue using HIST1H1D Polyclonal Antibody at dilution of 1:55(×200)

### **Immunogen Information**

Immunogen Synthetic peptide of human HIST1H1D

**Gene Accession** NP005311 **Swissprot** P16402

**Synonyms** H1 histone family member 3,H1.3,H13,H1F3,HIST1

H1D,HIST1H1D,Histone 1 H1d,Histone cluster 1 H1d,Histone H1.3,Histone H1c,MGC138176

#### **Product Information**

**Buffer** PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

**Purify** Antigen affinity purification

**Dilution** IHC 1:50-1:300, ELISA 1:5000-1:10000

## **Background**

Histones are basic nuclear proteins responsible for nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H1 family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6.