


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

CCDC47 Polyclonal Antibody


Catalog No.E-AB-18732ReactivityH,M,RStorageStore at -20°C. Avoid freeze / thaw cycles.HostRabbitApplicationsWB,IHC,ELISAIsotypeIgG

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Images



Western blot analysis of Mouse heart tissue Mouse liver tissue NIH/3T3 cell Human bladder transitional cell carcinoma grade 2-3 tissue A172 cell Human placenta tissue K562 cell lysates using CCDC47 Polyclonal Antibody at dilution of 1:350



Immunohistochemistry of paraffinembedded Human cervical cancer tissue using CCDC47 Polyclonal Antibody at dilution of 1:25(×200)



Immunohistochemistry of paraffinembedded Human tonsil tissue using CCDC47 Polyclonal Antibody at dilution of 1:25(×200)

Immunogen Information

Immunogen Fusion protein of human CCDC47

Gene Accession BC008905 **Swissprot** Q96A33

Synonyms CCD47,CCDC 47,CCDC47,Coiled coil domain

containing 47, Coiled coil domain containing protein

47, Coiled-coil domain-containing protein

47,GK001,MSTP041

Product Information

Calculated MW 56 kDa

Observed MW Refer to figures

Buffer PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

Purify Antigen affinity purification

Dilution WB 1:500-1:2000, IHC 1:30-1:150, ELISA

1:5000-1:10000

Background

The coiled-coil domain is a common protein motif that is often involved in protein oligomerization and is found in proteins such as transcription factors and intermediate filaments. The CCDC47 gene maps to chromosome 17 at 17q23.3. Little is known about this single-pass membrane protein except that the coiled-coil domain is within the cytosolic domain near the carboxy terminus.

For Research Use Only

Thank you for your recent purchase

If you would like to learn more about antibodies, please visit www.elabscience.com.

Focus on your research Service for life science