

Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

# **C8orf4 Polyclonal Antibody**


Catalog No.E-AB-18766ReactivityH,MStorageStore at -20°C. Avoid freeze / thaw cycles.HostRabbitApplicationsIHC,ELISAIsotypeIgG

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.

### **Images**



Immunohistochemistry of paraffinembedded Human gastric cancer tissue using C8orf4 Polyclonal Antibody at dilution of 1:55(×200)



Immunohistochemistry of paraffinembedded Human thyroid cancer tissue using C8orf4 Polyclonal Antibody at dilution of 1:55(×200)

### **Immunogen Information**

**Immunogen** Fusion protein of human C8orf4

**Gene Accession** BC020623 **Swissprot** Q9NR00

**Synonyms** C8orf4,CH004,Chromosome 8 open reading frame

4,Human thyroid cancer

1,MGC22806,TC-1,TC1,Thyroid cancer protein

1, Uncharacterized protein C8orf4

#### **Product Information**

**Buffer** PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

**Purify** Antigen affinity purification

**Dilution** IHC 1:40-1:200, ELISA 1:5000-1:10000

## **Background**

This gene encodes a small, monomeric, predominantly unstructured protein that functions as a positive regulator of the Wnt/beta-catenin signaling pathway. This protein interacts with a repressor of beta-catenin mediated transcription at nuclear speckles. It is thought to competitively block interactions of the repressor with beta-catenin, resulting in upregulation of beta-catenin target genes. The encoded protein may also play a role in the NF-kappaB and ERK1/2 signaling pathways. Expression of this gene may play a role in the proliferation of several types of cancer including thyroid cancer, breast cancer and hematological malignancies.