


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

# PDHA1 Polyclonal Antibody


E-AB-19017 Reactivity Catalog No. H,M,R Storage Store at -20°C. Avoid freeze / thaw cycles. Rabbit Host **Applications IHC,ELISA Isotype IgG** 

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.

# **Images**



Immunohistochemistry of paraffinembedded Human cervical cancer tissue using PDHA1 Polyclonal Antibody at dilution of  $1:50(\times 200)$ 



Immunohistochemistry of paraffinembedded Human tonsil tissue using PDHA1 Polyclonal Antibody at dilution of  $1:50(\times 200)$ 

# **Immunogen Information**

Fusion protein of human PDHA1 **Immunogen** 

BC002406 **Gene Accession Swissprot** P08559

**Synonyms** ODPA.PDH.PDHA.PDHA1.PDHCE1A.PDHE1 A

type I,PDHE1-A type I,PHE1A,mitochondrial

#### **Product Information**

**Buffer** PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

**Purify** Antigen affinity purification

**Dilution** IHC 1:50-1:300, ELISA 1:5000-1:10000

# **Background**

PDHA1(Pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial) is also named as PHE1A. It is one of the 3 enzymes of the pyruvate dehydrogenase complex which is a nuclear-encoded mitochondrial matrix multienzyme complex that provides the primary link between glycolysis and the tricarboxylic acid (TCA) cycle by catalyzing the irreversible conversion of pyruvate into acetyl-CoA.It has 4 isoforms produced by alternative splicing. Defects in PDHA1 are a cause of pyruvate dehydrogenase E1-alpha deficiency (PDHAD) and X-linked Leigh syndrome (X-LS).