


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

COX6A2 Polyclonal Antibody

Catalog No. E-AB-19748 Reactivity H,M,R Store at -20°C. Avoid freeze / thaw cycles. **Storage** Host Rabbit **Applications** WB,ELISA **Isotype IgG**

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Images



Western blot analysis of Human muscle tissue Human heart tissue Mouse heart tissue lysates using COX6A2 Polyclonal Antibody at dilution of 1:450

Immunogen Information

Synthetic peptide of human COX6A2 **Immunogen**

NP005196 **Gene Accession Swissprot** O02221

Synonyms COX VIa M,COX6AH,COXVIAH,Cytochrome c

oxidase subunit VIa polypeptide 2,MS411

Product Information

Calculated MW 11 kDa

Observed MW Refer to figures

Buffer PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

Purify Antigen affinity purification

Dilution WB 1:500-1:2000, ELISA 1:5000-1:10000

Background

Cytochrome c oxidase (COX), the terminal enzyme of the mitochondrial respiratory chain, catalyzes the electron transfer from reduced cytochrome c to oxygen. It is a heteromeric complex consisting of 3 catalytic subunits encoded by mitochondrial genes and multiple structural subunits encoded by nuclear genes. The mitochondrially-encoded subunits function in electron transfer, and the nuclear-encoded subunits may be involved in the regulation and assembly of the complex. This nuclear gene encodes polypeptide 2 (heart/muscle isoform) of subunit VIa, and polypeptide 2 is present only in striated muscles. Polypeptide 1 (liver isoform) of subunit VIa is encoded by a different gene, and is found in all non-muscle tissues. These two polypeptides share 66% amino acid sequence identity.