


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

# **IL4R Polyclonal Antibody**


Catalog No.E-AB-52020ReactivityHStorageStore at -20°C. Avoid freeze / thaw cycles.HostRabbitApplicationsIHC,ELISAIsotypeIgG

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.

# **Images**



Immunohistochemistry of paraffinembedded Human liver cancer tissue using IL4R Polyclonal Antibody at dilution of 1:45(×200)



Immunohistochemistry of paraffinembedded Human tonsil tissue using IL4R Polyclonal Antibody at dilution of 1:45(×200)

# **Immunogen Information**

**Immunogen** Synthetic peptide of human IL4R

**Gene Accession** NP000409 **Swissprot** P24394

**Synonyms** CD124,IL-4RA,IL4-BP,Il4r,IL4R nirs variant

1,IL4RA,IL4RA,Soluble IL-4R-alpha

#### **Product Information**

**Buffer** PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

**Purify** Antigen affinity purification

**Dilution** IHC 1:30-1:150, ELISA 1:5000-1:10000

# **Background**

This gene encodes the alpha chain of the interleukin-4 receptor, a type I transmembrane protein that can bind interleukin 4 and interleukin 13 to regulate IgE production. The encoded protein also can bind interleukin 4 to promote differentiation of Th2 cells. A soluble form of the encoded protein can be produced by proteolysis of the membrane-bound protein, and this soluble form can inhibit IL4-mediated cell proliferation and IL5 upregulation by T-cells. Allelic variations in this gene have been associated with atopy, a condition that can manifest itself as allergic rhinitis, sinusitus, asthma, or eczema. Polymorphisms in this gene are also associated with resistance to human immunodeficiency virus type-1 infection. Alternate splicing results in multiple transcript variants.