


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

# **PPY Polyclonal Antibody**

Catalog No.E-AB-52056ReactivityH,RStorageStore at -20°C. Avoid freeze / thaw cycles.HostRabbitApplicationsWB,ELISAIsotypeIgG

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Images**



Western blot analysis of Rat pancreas tissue lysate using PPY Polyclonal Antibody at dilution of 1:1900

## **Immunogen Information**

Immunogen Synthetic peptide of human PPY

**Gene Accession** NP002713 **Swissprot** P01298

**Synonyms** Pancreatic polypeptide, Pancreatic polypeptide

Y,Pancreatic prohormone,PNP,PPP,PPY,prepro-PP

(prepropancreatic polypeptide)

#### **Product Information**

Calculated MW 11 kDa

**Observed MW** Refer to figures

**Buffer** PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

**Purify** Antigen affinity purification

**Dilution** WB 1:1000-1:5000, ELISA 1:5000-1:10000

#### **Background**

This gene encodes a member of the neuropeptide Y (NPY) family of peptides. The encoded 95 aa preproprotein is synthesized in the pancreatic islets of Langerhans and proteolytically processed to generate two peptide products. These products include the active pancreatic hormone of 36 aa and an icosapeptide of unknown function. This hormone acts as a regulator of pancreatic and gastrointestinal functions and may be important in the regulation of food intake. Plasma level of this hormone has been shown to be reduced in conditions associated with increased food intake and elevated in anorexia nervosa. In addition, infusion of this hormone in obese rodents has shown to decrease weight gain. Alternative splicing results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically processed.