

Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

KCNN1 Polyclonal Antibody


Catalog No.E-AB-52082ReactivityH,M,RStorageStore at -20°C. Avoid freeze / thaw cycles.HostRabbitApplicationsIHC,ELISAIsotypeIgG

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Images



Immunohistochemistry of paraffinembedded Human liver cancer tissue using KCNN1 Polyclonal Antibody at dilution of 1:55(×200)



Immunohistochemistry of paraffinembedded Human cervical cancer tissue using KCNN1 Polyclonal Antibody at dilution of 1:55(×200)

Immunogen Information

Immunogen Synthetic peptide of human KCNN1

Gene Accession NP002239 **Swissprot** Q92952

Synonyms hSK1,KCa2.1,KCNN

1,Kcnn1,KCNN1,SK,SK1,SKCa 1,SKCa1

Product Information

Buffer PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

Purify Antigen affinity purification

Dilution IHC 1:50-1:300, ELISA 1:5000-1:10000

Background

Action potentials in vertebrate neurons are followed by an afterhyperpolarization (AHP) that may persist for several seconds and may have profound consequences for the firing pattern of the neuron. Each component of the AHP is kinetically distinct and is mediated by different calcium-activated potassium channels. The protein encoded by this gene is activated before membrane hyperpolarization and is thought to regulate neuronal excitability by contributing to the slow component of synaptic AHP. The encoded protein is an integral membrane protein that forms a voltage-independent calcium-activated channel with three other calmodulin-binding subunits. This gene is a member of the KCNN family of potassium channel genes.