


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

MRPS18C Polyclonal Antibody

Catalog No. E-AB-52272 Reactivity H,M Storage Store at -20°C. Avoid freeze / thaw cycles. Rabbit Host **Applications** WB,ELISA **Isotype IgG**

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Images



Western blot analysis of 231 Hela K562 cell and Human bladder carcinoma tissue using MRPS18C Polyclonal Antibody at dilution of 1:400

Immunogen Information

Full length fusion protein **Immunogen**

Gene Accession BC005186 **Swissprot** O9Y3D5

Synonyms CGI-134.mitochondrial.Mitochondrial ribosomal

protein S18 1,MRP-S18-1,MRP-S18-c,MRPS18

1,Mrps18-c,Mrps18c,RT18C,S18mt-c

Product Information

Calculated MW 16 kDa

Observed MW Refer to figures

Buffer PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

Purify Antigen affinity purification

Dilution WB 1:500-1:2000, ELISA 1:2000-1:5000

Background

Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology.