


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

# **BLOC1S6 Polyclonal Antibody**


E-AB-53057 Catalog No. Reactivity H,M,R Storage Store at -20°C. Avoid freeze / thaw cycles. Rabbit Host **Applications** WB,IHC,ELISA **Isotype IgG** 

Note: Centrifuge before opening to ensure complete recovery of vial contents.

# **Images**



Western blot analysis of 293T Jurkat Hela and 231 cell lysates using BLOC1S6 Polyclonal Antibody at dilution of 1:600



Immunohistochemistry of paraffinembedded Human tonsil tissue using BLOC1S6 Polyclonal Antibody at dilution of  $1:60(\times 200)$ 

# **Immunogen Information**

Fusion protein of human BLOC1S6 **Immunogen** 

BC004819 **Gene Accession** Q9UL45 **Swissprot** 

**Synonyms** Bloc1s6,PLDN,PLDN,Syntaxin 13 binding

protein, Syntaxin 13-interacting protein

## **Product Information**

Calculated MW 20 kDa

**Observed MW** Refer to figures

**Buffer** PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

**Purify** Antigen affinity purification

Dilution WB 1:1000-1:5000, IHC 1:50-1:200, ELISA

1:5000-1:10000

#### **Background**

The protein encoded by this gene may play a role in intracellular vesicle trafficking. It interacts with Syntaxin 13 which mediates intracellular membrane fusion. Mutations in this gene cause symptoms associated with Hermansky-Pudlak syndrome-9. Alternative splicing results in multiple transcript variants. A pseudogene related to this gene is located on the X chromosome.