


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

# **RAB13 Polyclonal Antibody**

Catalog No.E-AB-53081ReactivityH,M,RStorageStore at -20°C. Avoid freeze / thaw cycles.HostRabbitApplicationsIHC,ELISAIsotypeIgG

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.

## **Images**



Immunohistochemistry of paraffinembedded Human tonsil tissue using RAB13 Polyclonal Antibody at dilution of 1:50(×200)



Immunohistochemistry of paraffinembedded Human liver cancer tissue using RAB13 Polyclonal Antibody at dilution of 1:50(×200)

### **Immunogen Information**

Immunogen Fusion protein of human RAB13

**Gene Accession** BC000799 **Swissprot** P51153

**Synonyms** GIG4,RAB13,RAB13 member RAS oncogene

family, RAB13, RAS associated protein RAB13

#### **Product Information**

**Buffer** PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

**Purify** Antigen affinity purification

**Dilution** IHC 1:50-1:200, ELISA 1:5000-1:10000

### **Background**

This gene is a member of the Rab family of small G proteins and plays a role in regulating membrane trafficking between trans-Golgi network (TGN) and recycling endosomes (RE). The encoded protein is involved in the assembly of tight junctions, which are components of the apical junctional complex (AJC) of epithelial cells. The AJC plays a role in forming a barrier between luminal contents and the underlying tissue. Additional functions associated with the protein include endocytic recycling of occludin, regulation of epithelial cell scattering, neuronal regeneration and regulation of neurite outgrowth. Alternately spliced transcript variants have been observed for this gene. A pseudogene associated with this gene is located on chromosome 12.