


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

CCNT2 Polyclonal Antibody

Catalog No. E-AB-53387 Reactivity Η Storage Store at -20°C. Avoid freeze / thaw cycles. Rabbit Host **Applications** WB,ELISA **Isotype IgG**

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Images



Western blot analysis of 293T cell using CCNT2 Polyclonal Antibody at dilution of 1:250

Immunogen Information

Synthetic peptide of human CCNT2 **Immunogen**

NP490595 **Gene Accession Swissprot** O60583

Synonyms CCNT2, CCNT2, Cyclin T2a, Cyclin T2b, Cyclin-

T2,CycT2,FLJ90560,MGC134840

Product Information

Calculated MW 81 kDa

Observed MW Refer to figures

Buffer PBS with 0.05% NaN3 and 40% Glycerol,pH7.4

Purify Antigen affinity purification

Dilution WB 1:500-1:2000, ELISA 1:5000-1:10000

Background

The protein encoded by this gene belongs to the highly conserved cyclin family, whose members are characterized by a dramatic periodicity in protein abundance through the cell cycle. Cyclins function as regulators of CDK kinases. Different cyclins exhibit distinct expression and degradation patterns which contribute to the temporal coordination of each mitotic event. This cyclin and its kinase partner CDK9 were found to be subunits of the transcription elongation factor p-TEFb. The p-TEFb complex containing this cyclin was reported to interact with, and act as a negative regulator of human immunodeficiency virus type 1 (HIV-1) Tat protein.