


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

HMGCR Polyclonal Antibody


Catalog No.E-AB-66762ReactivityH,M,RStorageStore at -20°C. Avoid freeze / thaw cycles.HostRabbitApplicationsIHCIsotypeIgG

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Images



Immunohistochemistry of paraffinembedded Human small intestine using HMGCR Polyclonal Antibody at dilution of 1:200 (40x lens).



Immunohistochemistry of paraffinembedded Human uterine cancer using HMGCR Polyclonal Antibody at dilution of 1:200 (40x lens).

Immunogen Information

Immunogen Recombinant fusion protein of human HMGCR

(NP_000850.1).

GeneID 3156 **Swissprot** P04035

Synonyms HMGCR,LDLCQ3,HMGCR

Product Information

Buffer PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Purify Affinity purification **Dilution** IHC 1:50-1:100

Background

HMG-CoA reductase is the rate-limiting enzyme for cholesterol synthesis and is regulated via a negative feedback mechanism mediated by sterols and non-sterol metabolites derived from mevalonate, the product of the reaction catalyzed by reductase. Normally in mammalian cells this enzyme is suppressed by cholesterol derived from the internalization and degradation of low density lipoprotein (LDL) via the LDL receptor. Competitive inhibitors of the reductase induce the expression of LDL receptors in the liver, which in turn increases the catabolism of plasma LDL and lowers the plasma concentration of cholesterol, an important determinant of atherosclerosis. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.