


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

# **MMP2 Polyclonal Antibody**


Catalog No.E-AB-40409ReactivityH,MStorageStore at -20°C. Avoid freeze / thaw cycles.HostRabbitApplicationsWB,IHCIsotypeIgG

Note: Centrifuge before opening to ensure complete recovery of vial contents.


## **Images**



Western Blot analysis of A431 and Mouse liver using MMP2 Polyclonal Antibody at dilution of 1:1000



Immunohistochemistry of paraffinembedded Human kidney using MMP2 Polycloanl Antibody at dilution of 1:200



Immunohistochemistry of paraffinembedded Human clear cell carcinoma of kidney using MMP2 Polycloanl Antibody at dilution of 1:100

### **Immunogen Information**

**Immunogen** Recombinant Human 72 kDa type IV collagenase

protein

 GeneID
 4313

 Swissprot
 P08253

**Synonyms** 72 kDa gelatinase, CLG4, CLG4A, Gelatinase A,

MMP 2, MONA, PEX, TBE 1

#### **Product Information**

**Calculated MW** 65,68,73 kDa **Observed MW** 68 kDa

**Buffer** PBS with 0.05% Proclin300, 50% glycerol, pH7.3.

Purify Antigen Affinity Purification

Dilution WB 1:500-1:2000 IHC 1:50-1:200

### **Background**

Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis. Most MMP's are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. This gene encodes an enzyme which degrades type IV collagen, the major structural component of basement membranes. The enzyme plays a role in endometrial menstrual breakdown, regulation of vascularization and the inflammatory response.

For Research Use Only

Thank you for your recent purchase

If you would like to learn more about antibodies, please visit www.elabscience.com.

Focus on your research Service for life science