


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

# **GRIN2A Polyclonal Antibody**


Reactivity Catalog No. E-AB-62088 M,R Storage Store at -20°C. Avoid freeze / thaw cycles. Rabbit Host **Applications** WB,IHC **Isotype IgG** 

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.

## **Images**



Western blot analysis of extracts of various cell lines using GRIN2A Polyclonal Antibody at dilution of 1:1000.



Immunohistochemistry of paraffinembedded Rat brain using GRIN2A Polyclonal Antibody at dilution of 1:100 (40x lens).

### **Immunogen Information**

**Immunogen** Recombinant fusion protein of human GRIN2A

(NP 000824.1).

GeneID 2903 **Swissprot** Q12879

**Synonyms** EPND,FESD,GluN2A,LKS,NMDAR2A,NR2A,GRI

N2A,NMDA 2A

#### **Product Information**

Calculated MW 144kDa/165kDa

**Observed MW** 200kDa

**Buffer** PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Purify** Affinity purification

Dilution WB 1:500-1:1000 IHC 1:50-1:200

### **Background**

This gene encodes a member of the glutamate-gated ion channel protein family. The encoded protein is an N-methyl-D-aspartate (NMDA) receptor subunit. NMDA receptors are both ligand-gated and voltagedependent, and are involved in long-term potentiation, an activitydependent increase in the efficiency of synaptic transmission thought to underlie certain kinds of memory and learning. These receptors are permeable to calcium ions, and activation results in a calcium influx into post-synaptic cells, which results in the activation of several signaling cascades. Disruption of this gene is associated with focal epilepsy and speech disorder with or without mental retardation. Alternative splicing results in multiple transcript variants.