


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

(KO Validated) Caspase-3 Polyclonal Antibody


Catalog No. E-AB-63602 Reactivity H,M,R Storage Store at -20°C. Avoid freeze / thaw cycles. Host Rabbit **Applications** IHC,IF **Isotype IgG**

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Images



Immunohistochemistry of paraffinembedded Human mammary cancer using Caspase-3 Polyclonal Antibody at dilution of 1:200 (40x lens).



Immunofluorescence analysis of Jurkat cells using Caspase-3 Polyclonal Antibody at dilution of 1:100. Jurkat cells treated by Etoposide 25uM etoposide for 5 hours (left). Blue: DAPI for nuclear staining.

Immunogen Information

Immunogen Recombinant fusion protein of human Caspase-3

(NP 004337.2).

GeneID 836 **Swissprot** P42574

Synonyms CPP32,CPP32B,SCA-1,Active Caspase

3,CASP3,active Caspase-3,Caspase-3 p12

Product Information

Buffer PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Purify Affinity purification

Dilution IHC 1:50-1:100 IF 1:50-1:100

Background

This gene encodes a protein which is a member of the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce two subunits, large and small, that dimerize to form the active enzyme. This protein cleaves and activates caspases 6, 7 and 9, and the protein itself is processed by caspases 8, 9 and 10. It is the predominant caspase involved in the cleavage of amyloid-beta 4A precursor protein, which is associated with neuronal death in Alzheimer's disease. Alternative splicing of this gene results in two transcript variants that encode the same protein.