

Anti-Enterovirus 71 VP1 Neutralizing Antibody

E-AB-V1081

Application	Microneutralization, ELISA	Host	Human
Storage	Store at -20°C. Avoid freeze / thaw cycles.	Clone No.	H136

Important Note Centrifuge before opening to ensure complete recovery of vial contents.

Product Details

Isotype	IgG1
Host	Human
Clone No.	H136
Reactivity	Enterovirus 7
Dilution	ELISA 1:1000-10000
Storage Buffer	0.2 µm filtered solution in PBS
Stability & Storage	Ships on ice packs. Store at -20°C
Description	This antibody was obtained from human B cells by single-cell reverse transcription polymerase chain reaction (RT-PCR).

Antigen Information

Alternate Names VP1

For Research Use Only


Thank you for your recent purchase.

If you would like to learn more about antibodies, please visit www.elabscience.com.

**Focus on your research
Service for life science**

Applications: Activ- Activation; Block- Blocking; Separation- Cell Separation ; Cell Sep-Neg- Cell Separation by Negative Selection; FA- Functional Assay; Neut- Neutralization; Stim- Stimulation; FCM- Flow Cytometry; ICFM: Intracellular Staining for Flow Cytometry; WB- Western Blotting; IHC- Immunohistochemistry; IF- Immunofluorescence; IP- Immunoprecipitation

Images



The neutralization activity of Anti-Enterovirus 71 VP1 Neutralizing Antibody is Measured by Microneutralization test in vitro. The cytopathic effect of RD cells (10e5/well) induced by 100CCID50 EV71 genogroup C4 is neutralized by increasing concentrations of Anti-Enterovirus 71 VP1 Neutralizing Antibody. The IC50 is typically 0.7~1.3 µg/mL. NA: No antibody added.

For Research Use Only

Thank you for your recent purchase.

If you would like to learn more about antibodies, please visit www.elabscience.com.

**Focus on your research
Service for life science**

Applications: Activ- Activation; Block- Blocking; Separation- Cell Separation ; Cell Sep-Neg- Cell Separation by Negative Selection; FA- Functional Assay; Neut- Neutralization; Stim- Stimulation; FCM- Flow Cytometry; ICFM: Intracellular Staining for Flow Cytometry; WB- Western Blotting; IHC- Immunohistochemistry; IF- Immunofluorescence; IP- Immunoprecipitation