


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

# **KCNA2 Polyclonal Antibody**

Catalog No. E-AB-61866 Reactivity H,M Store at -20°C. Avoid freeze / thaw cycles. Rabbit **Storage** Host **Applications Isotype IgG** 

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.

#### **Images**



Immunofluorescence analysis of HeLa cells using KCNA2 Polyclonal Antibody

### **Immunogen Information**

**Immunogen** Recombinant fusion protein of human KCNA2

(NP\_001191198.1).

GeneID 3737 **Swissprot** P16389

**Synonyms** KCNA2,EIEE32,HBK5,HK4,HUKIV,KV1.2,MK2,N

GK1,RBK2

#### **Product Information**

**Buffer** PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Purify** Affinity purification **Dilution** IF 1:50-1:100

## **Background**

Potassium channels represent the most complex class of voltage-gated ion channels from both functional and structural standpoints. Their diverse functions include regulating neurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smooth muscle contraction, and cell volume. Four sequence-related potassium channel genes - shaker, shaw, shab, and shal - have been identified in Drosophila, and each has been shown to have human homolog(s). This gene encodes a member of the potassium channel, voltage-gated, shakerrelated subfamily. This member contains six membrane-spanning domains with a shaker-type repeat in the fourth segment. It belongs to the delayed rectifier class, members of which allow nerve cells to efficiently repolarize following an action potential. The coding region of this gene is intronless, and the gene is clustered with genes KCNA3 and KCNA10 on chromosome 1.