


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

MGAT1 Polyclonal Antibody


Reactivity Catalog No. E-AB-62828 H,M,R Storage Store at -20°C. Avoid freeze / thaw cycles. Rabbit Host **Applications** WB.IF **Isotype IgG**

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Images



Western blot analysis of extracts of various cell lines using MGAT1 Polyclonal Antibody at 1:1000 dilution.



Immunofluorescence analysis of L929 cells using MGAT1 Polyclonal Antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.

Immunogen Information

Immunogen Recombinant fusion protein of human MGAT1

GeneID 4245 **Swissprot** P26572

Synonyms MGAT1.GLCNAC-TI.GLCT1.GLYT1.GNT-1.GNT-

I,GnTI,MGAT,alpha-1

Product Information

Calculated MW 50kDa **Observed MW** 60kDa

Buffer PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Purify Affinity purification

Dilution WB 1:500-1:2000,IF 1:50-1:200

Background

There are believed to be over 100 different glycosyltransferases involved in the synthesis of protein-bound and lipid-bound oligosaccharides. UDP-N-acetylglucosamine:alpha-3-D-mannoside beta-1,2-Nacetylglucosaminyltransferase I is a medial-Golgi enzyme essential for the synthesis of hybrid and complex N-glycans. The protein, encoded by a single exon, shows typical features of a type II transmembrane protein. The protein is believed to be essential for normal embryogenesis. Several variants encoding the same protein have been found for this gene.