


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

AR Polyclonal Antibody


Catalog No.E-AB-70112ReactivityH,M,RStorageStore at -20°C. Avoid freeze / thaw cycles.HostRabbitApplicationsIHCIsotypeIgG

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Images



Immunohistochemistry analysis of paraffin-embedded human Prostate using AR Polyclonal Antibody at dilution of 1:300.



Immunohistochemistry analysis of paraffin-embedded mouse seminal vesicle using AR Polyclonal Antibody at dilution of 1:300.



Immunohistochemistry analysis of paraffin-embedded rat testis using AR Polyclonal Antibody at dilution of 1:300.

Immunogen Information

Immunogen KLH conjugated Synthetic peptide corresponding to

Mouse Androgen receptor

Swissprot P10275;P19091;P15207 Synonyms DHTR, NR3C4,AR

Product Information

Buffer PBS with 0.02% sodium azide, 1% protective protein

and 50% glycerol, pH7.4

Purify Affinity purification
Dilution IHC 1:300-1:1000

Background

The androgen receptor gene is more than 90 kb long and codes for a protein that has 3 major functional domains: the N-terminal domain, DNA-binding domain, and androgen-binding domain. The protein functions as a steroid-hormone activated transcription factor. Upon binding the hormone ligand, the receptor dissociates from accessory proteins, translocates into the nucleus, dimerizes, and then stimulates transcription of androgen responsive genes. This gene contains 2 polymorphic trinucleotide repeat segments that encode polyglutamine and polyglycine tracts in the N-terminal transactivation domain of its protein.

For Research Use Only

Thank you for your recent purchase

If you would like to learn more about antibodies, please visit www.elabscience.com.

Focus on your research Service for life science