


Tel:240-252-7368(USA) Fax: 240-252-7376(USA) techsupport@elabscience.com Website: www.elabscience.com

# **ERK 2 Polyclonal Antibody**

Catalog No.E-AB-70240ReactivityH,M,RStorageStore at -20°C. Avoid freeze / thaw cycles.HostRabbitApplicationsWBIsotypeIgG

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Images**



Western Blot analysis of various samples using ERK 2 Polyclonal Antibody at dilution of 1:800.

### **Immunogen Information**

**Immunogen** Recombinant protein corresponding to Mouse ERK2

**Swissprot** P28482,P63085,P63086

Synonyms MAPK1, ERK, ERK-2, ERK2, ERT1, MAPK2,

P42MAPK, PRKM1, PRKM2, p38, p40, p41, p41mapk, p42-MAPK, mitogen-activated protein

kinase 1

#### **Product Information**

Calculated MW 42kDa Observed MW 42kDa

**Buffer** PBS with 0.02% sodium azide, 1% protective protein

and 50% glycerol, pH7.4

Purify Affinity purification
Dilution WB 1:500-1:2000

## **Background**

This gene encodes a member of the MAP kinase family. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. The activation of this kinase requires its phosphorylation by upstream kinases. Upon activation, this kinase translocates to the nucleus of the stimulated cells, where it phosphorylates nuclear targets. One study also suggests that this protein acts as a transcriptional repressor independent of its kinase activity. The encoded protein has been identified as a moonlighting protein based on its ability to perform mechanistically distinct functions. Two alternatively spliced transcript variants encoding the same protein, but differing in the UTRs, have been reported for this gene.